

Appendix A. Survey site photographs taken during the study.



This site is located in Big Cottonwood Canyon, and is generally characterized by rocky hillsides and talus slopes with intermixed juniper and sagebrush. The photograph was taken looking west. A single adult Western Fence Lizard was observed at this site.



This site is located near Bosteter Road east of Big Cottonwood Canyon and is characterized by exposed rocky wash with a riparian area located just east of this view. The photograph was taken looking north. There were no species found at this site.



This site is an emergent wetland that lies in about the middle of this photograph and is located in Big Cottonwood Canyon up and behind one of the ridges to the east. The photograph was taken looking west and characterizes typical upland habitat in Big Cottonwood Canyon. Eighteen Pacific Treefrog larvae, one juvenile and two adult Racers, and two juvenile Western Terrestrial Garter Snakes were detected at this site.



This site is located in Cave Canyon and is primarily characterized by talus slopes with a riparian area and small stream located approximately 20 meters to the south. This photograph was taken looking northwest. Two Western Fence Lizards, one adult and one juvenile, were observed at this site and a dead Racer was found on the access trail nearby.



This site is riparian habitat located in Big Cedar Canyon. This photograph was taken looking northeast. Two Western Fence Lizards, one juvenile and one adult, and one adult Western Terrestrial Garter Snake were observed at this site.





This site is located in Big Cedar Canyon and is characterized by numerous exposed rocky areas. The photograph was taken looking southeast. No species were detected at this site.



This site is located in Big Cedar Canyon and is a juniper and sagebrush dominated hillside with regions of exposed rock. This photograph was taken looking northwest. Three adult Western Fence Lizards were seen at this site.



This site is located in Big Cedar Canyon near the USFS boundary and is characterized by juniper and sagebrush intermixed with talus slopes and exposed rocky cliffs. The photograph was taken looking west. One juvenile Side-Blotched Lizard and two juvenile Western Fence Lizards were observed at this site.



This site is located in Little Cedar Canyon and is characterized by exposed rocky areas intermixed with dense stands of juniper and sagebrush. The photograph was taken looking south. No species were detected at this site.